

WILLIAM HOUSE

HONEYCOMB SHADE COLLECTION



Measuring Instructions

Measure each window individually as sizes may vary. Record width first, then height (length) to the nearest 1/8". Measure width from left to right, height from top to bottom using a metal tape measure.

PLEASE DO NOT USE A CLOTH TAPE!

Inside Mount


Inside mount blinds are installed inside the window frame.

1. Measure the exact inside width of window frame from one inside edge to the other. Take three measurements, one near the top, one in the center and one near the bottom. Record the narrowest measurement.
2. Measure the exact height in three places, left, center and right from top edge of opening to top of sill. Record the longest measurement for horizontal blinds.
3. Do not take deductions on inside mount measurements. The factory will take a 1/4" allowance for operating clearance.
4. Measure the window diagonally in two places as shown. If the two diagonal measurements are not the same, we suggest an outside mount application for the best shade performance and appearance.

OUTSIDE MOUNT

Outside mount blinds are installed outside the window frame, covering an area larger than the window itself.

1. Measure the exact width of area to be covered. Be certain the measurement overlaps the window opening by at least 1 1/2" on each side to ensure privacy and light control.
2. Measure exact height to be covered, including desired overlap (usually from top edge of molding to bottom edge, or to top of sill). If there is no sill, measure to where the blind is to reach.
3. The factory does not make deductions for an outside mount.



Contents

HOW TO MEASURE	Page 2
COLOR GUIDE	Page 3
COLOR/SIZE SPECIFICATION SUMMARY	Page 4
THE HONEYCOMB SHADE COLLECTION	Page 5
GROUP 1 : 9/16" SINGLE CELL LIGHT FILTERING LINEN PRINT / 3/4" SMOOTH FABRIC	Page 6
GROUP 2 : 9/16" SINGLE CELL LIGHT FILTERING / 3/4" BAMBOO PRINT FABRICS	Page 6
GROUP 3 : 7/16" DOUBLE CELL LIGHT FILTERING FABRICS	Page 7
GROUP 4 : 9/16" SINGLE CELL LIGHT FILTERING FIRE RETARDANT FABRICS	Page 7
GROUP 5 : 3/4" SINGLE CELL BLACK OUT SMOOTH FABRICS	Page 8
GROUP 6 : 9/16" SINGLE CELL BLACK OUT FABRICS	Page 8
GROUP 7 : 9/16" SINGLE CELL LIGHT FILTERING PREMIUM SHEER FABRICS	Page 9
GROUP 8 : 9/16" SINGLE CELL BLACK OUT FIRE RETARDANT FABRICS	Page 9
GROUP 9 : 3/4" SINGLE CELL LIGHT FILTERING PREMIUM CRUSH / SLUB WOVEN FABRIC	Page 10
Group 10 : 3/4" Single Cell Light Filtering LUX Linen	Page 10
SURCHARGES	Page 11
FEATURES/OPTIONS/SOMFY MOTORIZATION	Page 12
SIMPLE TOUCH™ WAND SYSTEM	Page 13
SIMPLE TOUCH™ REMOTE SYSTEM	Page 14
HONEYCOMB SHADE SPECIALTIES	Page 15
MANUFACTURER WARRANTY	Page 17

William House honeycomb shade collection is one of the industry's most fashionable and comprehensive programs. Our shades, light filtering to blackout, single cells to double cells come in a rainbow of fashion colors from soft neutrals to rich jewel tones. Sheer and crush fabrics are new and creative. They add more choices and creativities to home decoration. Fire retardant fabrics provides more options to commercial applications.

All light filtering and blackout honeycomb shades provide superior energy efficiency and sound absorption. Its unique cell configuration offers one of the highest energy efficiency ratings in the window covering industry today. For special window shapes like arches and angle top, Honeycomb shades are fashionable and affordable options that can cover most hard-to-cover windows. The top/down bottom/up optional lows natural light to fill any room without compromising privacy. William House honeycomb shades are made with only first quality components. We combine great selection with superior quality, affordability, dependability and overall value.

**GROUP 1 - 3/4" SINGLE CELL LIGHT FILTERING SMOOTH**

3C-001	Cotton
3C-002	Snow White
3C-005	Cream
3C-070	Winter White
3C-489	Bamboo
3C-490	Velvet Fern
3C-491	Chocolate Bliss
3C-492	Warm Cocoa

GROUP 1 - 9/16" SINGLE CELL LIGHT FILTERING LINEN

31-012	Cocoa
31-032	Sand
31-034	Gray
31-326	Dark Chocolate
31-514	Misty Gray

GROUP 2 - 9/16" SINGLE CELL LIGHT FILTERING

10-001	Cotton
10-002	Snow White
10-003	Onion
10-004	Alabaster
10-005	Cream
10-006	Fawn
10-007	Biscuit
10-008	Pongee
10-009	Ocher
10-010	Tan
10-011	Terra Cotta
10-012	Cocoa
10-013	Spring Green
10-014	Water Green
10-015	Avocado
10-016	Roseate
10-018	Stone Red
10-019	Agate Red
10-021	Gray Sheen
10-020	Bordeaux
10-022	Marine Blue
10-023	Royal Gray
10-024	Jean Blue
10-025	Black
10-026	Wisteria
10-030	Athracite
10-069	White Dove
10-070	Winter White
10-094	Teal
10-100	Buff Yellow
10-326	Dark Chocolate
10-346	Antique Pewter
10-470	Slate

GROUP 2 - 3/4" SINGLE CELL LIGHT FILTERING BAMBOO

RA-023	Royal Gray
RA-346	Antique Pewter
RA-514	Misty Gray
RA-519	Stone
RA-583	Dark Gray Sheen

GROUP 3 - 7/16" DOUBLE CELL LIGHT FILTERING

X0-001	Cotton
X0-002	Snow White
X0-003	Onion
X0-004	Alabaster
X0-005	Cream
X0-006	Fawn
X0-007	Biscuit
X0-008	Pongee
X0-009	Ocher
X0-010	Tan
X0-011	Terra Cotta
X0-012	Cocoa
X0-013	Spring Green
X0-014	Water Green
X0-015	Avocado
X0-016	Roseate
X0-018	Stone Red
X0-019	Agate Red
X0-020	Bordeaux
X0-021	Gray Sheen
X0-022	Marine Blue
X0-023	Royal Gray
X0-024	Jean Blue
X0-025	Black
X0-026	Wisteria
X0-069	White Dove
X0-070	Winter White
X0-326	Dark Chocolate

GROUP 4 - 9/16" SINGLE CELL LIGHT FILTERING FIRE RETARDANT

001FR	Cotton
006FR	Fawn
008FR	Pongee
070FR	Winter White

GROUP 5 - 3/4" SINGLE CELL BLACKOUT SMOOTH

4C-002	Snow White
4C-005	Cream
4C-021	Gray Sheen
4C-070	Winter White
4C-489	Bamboo
4C-490	Velvet Fern
4C-491	Chocolate Bliss
4C-492	Warm Cocoa

GROUP 6 - 9/16" SINGLE CELL BLACK OUT

20-001	Cotton
20-002	Snow White
20-003	Onion
20-004	Alabaster
20-006	Fawn
20-008	Pongee
20-009	Ocher
20-015	Avocado
20-012	Cocoa
20-020	Bordeaux
20-021	Gray Sheen
20-024	Jean Blue
20-025	Black
20-069	White Dove
20-070	Winter White
20-326	Dark Chocolate
20-346	Antique Pewter
20-470	Slate

GROUP 7 - 9/16" SINGLE CELL LIGHT FILTERING PREMIUM SHEER

60-001	Cotton
60-002	Snow White
60-004	Alabaster
60-006	Fawn
60-012	Cocoa

GROUP 8 - 9/16" SINGLE CELL BLACKOUT FIRE RETARDANT

001FR	Cotton
006FR	Fawn
008FR	Pongee
070FR	Winter White

GROUP 9 - 9/16" SINGLE CELL LIGHT FILTERING PREMIUM CRUSH

001CR	Cotton
006CR	Fawn
012CR	Cocoa
069CR	White Dove
070CR	Winter White

GROUP 9 - 9/16" SINGLE CELL LIGHT FILTERING SLUB WOVEN

75-001	Cotton
75-004	Alabaster
75-012	Cocoa
75-021	Black
75-326	Dark Chocolate

GROUP 10 - 3/4" Single Cell Light Filtering LUX Linen

BO-901	Porcelain
BO-919	Camel
BO-992	Hazelnut
BO-921	Stonington Gray
BO-930	Charcoal



HONEYCOMB
SHADES

Color / Size Specification Summary

November, 2018

		9/16"	9/16"	9/16"	3/4"	3/4"	3/4"	7/16"	9/16"	9/16"	9/16"	"	HEADRAIL, BOTTOMRAIL, CORD, END CAP, CLUTCH, TASSEL, STOP BALLS
		SINGLE CELL	SINGLE CELL	SINGLE CELL	SINGLE CELL	SINGLE CELL	SINGLE CELL	DOUBLE CELL	SINGLE CELL	SINGLE CELL	SINGLE CELL	SINGLE CELL	
COLOR NO.	FABRIC COLOR NAME	LIGHT FILTERING	BLACKOUT	LINEN PRINT	LIGHT FILTERING BAMBOO	SMOOTH LIGHT FILTERING	SMOOTH BLACKOUT	LIGHT FILTERING	SHEER	CRUSH	SLUB WOVEN	LIGHT FILTERING [5" x 10"]	
001	Cotton	✓	✓	N/A	N/A	✓	N/A	✓	✓	✓	✓	N/A	001
002	Snow White	✓	✓	N/A	N/A	✓	✓	✓	✓	N/A	N/A	N/A	002
003	Onion	✓	✓	N/A	N/A	N/A	N/A	✓	N/A	N/A	N/A	N/A	
004	Ala baster	✓	✓	N/A	N/A	N/A	N/A	✓	✓	N/A	✓	N/A	
005	Cream	✓	N/A	N/A	N/A	✓	✓	✓	N/A	N/A	N/A	N/A	
006	Fawn	✓	✓	N/A	N/A	N/A	N/A	✓	✓	✓	N/A	N/A	006
007	Biscuit	✓	N/A	N/A	N/A	N/A	N/A	✓	N/A	N/A	N/A	N/A	
008	Pongee	✓	✓	N/A	N/A	N/A	N/A	✓	N/A	N/A	N/A	N/A	008
009	Ocher	✓	✓	N/A	N/A	N/A	N/A	✓	N/A	N/A	N/A	N/A	
010	Tan	✓	N/A	N/A	N/A	N/A	N/A	✓	N/A	N/A	N/A	N/A	010
011	Terra Cott a	✓	N/A	N/A	N/A	N/A	N/A	✓	N/A	N/A	N/A	N/A	011
012	Cocoa	✓	✓	✓	N/A	N/A	N/A	✓	✓	✓	✓	N/A	012
013	Spring Green	✓	N/A	N/A	N/A	N/A	N/A	✓	N/A	N/A	N/A	N/A	002
014	Water Green	✓	N/A	N/A	N/A	N/A	N/A	✓	N/A	N/A	N/A	N/A	014
015	Avoc ado	✓	✓	N/A	N/A	N/A	N/A	✓	N/A	N/A	N/A	N/A	015
016	Roseate	✓	N/A	N/A	N/A	N/A	N/A	✓	N/A	N/A	N/A	N/A	016
018	Stone Red	✓	N/A	N/A	N/A	N/A	N/A	✓	N/A	N/A	N/A	N/A	
019	Agate Red	✓	N/A	N/A	N/A	N/A	N/A	✓	N/A	N/A	N/A	N/A	019
020	Bor deaux	✓	✓	N/A	N/A	N/A	N/A	✓	N/A	N/A	N/A	N/A	020
021	Gray Sheen	✓	✓	N/A	N/A	N/A	✓	✓	N/A	N/A	✓	N/A	091
022	Mar ine Blu e	✓	N/A	N/A	N/A	N/A	N/A	✓	N/A	N/A	N/A	N/A	028
023	Royal Gray (Bamboo)	N/A	N/A	N/A	✓	N/A	N/A	N/A	N/A	N/A	N/A	N/A	091
023	Royal Gray	✓	N/A	N/A	N/A	N/A	N/A	✓	N/A	N/A	N/A	N/A	
024	Jean Blu e	✓	✓	N/A	N/A	N/A	N/A	✓	N/A	N/A	N/A	N/A	023
025	Black	✓	✓	N/A	N/A	N/A	N/A	✓	N/A	N/A	N/A	N/A	025
026	Wister ia	✓	N/A	N/A	N/A	N/A	N/A	✓	N/A	N/A	N/A	N/A	026
030	Anthr acite	✓	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	025
032	Sand	N/A	N/A	✓	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	006
034	Gray	N/A	N/A	✓	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	091
069	White Dove	✓	✓	N/A	N/A	N/A	N/A	✓	N/A	✓	N/A	N/A	001
070	Winter White	✓	✓	N/A	N/A	✓	✓	✓	N/A	✓	N/A	N/A	002
094	Teal	✓	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	091
100	Buff Yell ow	✓	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	010
326	Dar k Chocolate	✓	✓	✓	N/A	N/A	N/A	✓	N/A	N/A	✓	N/A	326
346	Antique Pewter (Bamboo)	N/A	N/A	N/A	✓	N/A	N/A	N/A	N/A	N/A	N/A	N/A	002
346	Antique Pewter	✓	✓	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	025
489	Bamboo	N/A	N/A	N/A	N/A	✓	✓	N/A	N/A	N/A	N/A	N/A	006
490	Velvet Fern	N/A	N/A	N/A	N/A	✓	✓	N/A	N/A	N/A	N/A	N/A	002
491	Chocolate Bliss	N/A	N/A	N/A	N/A	✓	✓	N/A	N/A	N/A	N/A	N/A	
492	War m Cocoa	N/A	N/A	N/A	N/A	✓	✓	N/A	N/A	N/A	N/A	N/A	012
514	Misty Gray	N/A	N/A	✓	✓	N/A	N/A	N/A	N/A	N/A	N/A	N/A	002
519	Stone	N/A	N/A	N/A	✓	N/A	N/A	N/A	N/A	N/A	N/A	N/A	006
583	Dar k Gray Sheen	N/A	N/A	N/A	✓	N/A	N/A	N/A	N/A	N/A	N/A	N/A	091
901	Porcelain	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	✓	
919	Camel	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	✓	
992	Hazelnut	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	✓	
921	Stonington Gray	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	✓	
930	Charcoal	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	✓	

STANDARD CORD CONTROL				BRACKET QTY FOR REGULAR CORDED		BRACKET QTY FOR TOP DOWN / BOTTOM UP		BRACKET QTY FOR CORD- LESS AND CLUTCH		CONTINUOUS CORD LENGTH	
WIDTH	ROUTE	LIFT	LOCK								
5"~12.9"	2.5"	2	3/4"	5" ~ 47.9"	2	2	2	2	40" - 57.9"	3'	
13"~24.9"	4"	2	2"	48" ~ 72.9"	3	4	3	3	58" - 72.9"	4'	
25"~36.9"	8"	2	2"	73" ~ 83.9"	4	N/A	4	4	73" - 85.9"	5'	
37"~64.9"	12"	2	2"	84" ~ 95.9"	4	N/A	4 (Clutch only)	4 (Clutch only)	86" - 107.9"	6'	
65"~104.9"	12"	3	2"	96" ~ 120.9"	5	N/A	5 (Clutch only)	5 (Clutch only)	> 108"	8'	
105"& UP	12"	4	2"	121" ~ 144"	6	N/A	6 (Clutch only)	6 (Clutch only)			

STACKING CHART: THIS INCLUDES HEADRAIL AND BOTTOMRAIL (FOR CORDED SYSTEM)											R VALUE
SHADE STACKING HEIGHT (IN INCHES)	36" DROP	48" DROP	60" DROP	72" DROP	84" DROP	96" DROP	108" DROP	120" DROP	132" DROP	144" DROP	
9/16" Single Light Filtering	2.00	2.25	2.50	2.80	3.00	3.30	3.50	3.83	4.00	4.33	
9/16" Single Cell Blackout	1.81	2.00	2.19	2.38	2.56	2.75	2.94	3.13	3.31	3.50	
7/16" Light Filtering Double	2.43	2.82	3.21	3.61	4.00	4.39	4.79	5.18	5.57	5.96	
3/4" Single Smooth Light Filtering	1.75	1.88	2.00	2.13	2.25	2.38	2.50	2.63	2.75	2.88	
3/4" Single Smooth Blackout	1.78	1.91	2.04	2.18	2.31	2.44	2.58	2.71	2.84	2.98	
3/4" Single Bamboo Light Filtering	1.83	1.98	2.13	2.28	2.43	2.58	2.73	2.88	3.03	3.18	
9/16" Single Cell Linen Print LF	2.13	2.38	2.63	2.88	3.13	3.38	3.63	3.88	4.13	4.38	
9/16" Single Cell Sheer	2.29	2.62	2.88	3.15	3.42	3.69	3.96	4.22	4.49	4.76	
9/16" Single Cell Crush	2.47	2.84	3.16	3.47	3.78	4.09	4.41	4.72	5.03	5.34	
9/16" Single Cell Slub Woven	2.25	2.54	2.83	3.13	3.42	3.71	4.00	4.29	4.58	4.88	





NOTE: FOR CORDLESS AND CLUTCH SYSTEMS, ADD 7/8" TO ABOVE CHART STACK. ALL STACKING SIZES ARE APPROXIMATE.

MINIMUM MOUNTING SPACE		Corded	Cordless	Clutch
Minimum mounting Space:		1/2"	7/8"	7/8"
Minimum flush inside mounting space:		1-7/8"	2"	2"

Product specification is subject to change without notice.

November, 2018

The Honeycomb Shade Collection





November, 2018

Light Filtering Linen/Smooth and Bamboo

GROUP 1 : 9/16" SINGLE CELL LIGHT FILTERING LINEN PRINT AND 3/4" SMOOTH FABRICS

WIDTH HEIGHT	24	30	36	42	48	54	60	66	72	84	96	108	120	132	144
36	114	130	147	165	181	201	218	235	255	293	330	366	404	441	477
42	123	140	160	181	197	219	240	260	280	323	259	405	447	489	529
48	129	150	170	192	212	237	258	281	305	351	396	441	488	534	580
54	141	163	186	209	232	258	282	310	334	383	434	484	536	585	634
60	151	174	201	226	249	279	305	333	360	414	468	523	578	632	687
66	162	187	214	242	268	299	327	357	386	445	505	562	624	680	739
72	170	197	228	257	286	318	350	382	413	476	541	602	666	728	792
78	179	209	239	271	305	338	373	405	440	506	574	641	709	777	843
84	186	218	252	286	319	354	391	426	461	530	604	674	749	819	890
90	193	228	265	299	335	374	411	448	488	562	637	713	790	865	941
96	202	237	275	312	351	391	431	470	509	588	669	747	828	906	986
108	218	257	299	340	382	426	470	513	559	645	733	818	908	994	1082
120	233	278	323	370	417	464	511	560	606	700	797	891	988	1083	1178
132	248	297	345	397	448	500	551	603	654	757	861	963	1069	1169	1272
144	264	316	371	425	480	537	591	647	701	814	924	1035	1149	1257	1368

Note: 2-on-1 and 3-on-1 headrail option is strongly recommended for all blinds measuring 96" or more in width or height. Single blinds ordered larger than 96" in width or height will not be covered under warranty.

GROUP 2 : 9/16" SINGLE CELL LIGHT FILTERING AND 3/4" BAMBOO FABRICS

WIDTH HEIGHT	24	30	36	42	48	54	60	66	72	84	96	108	120	132	144
36	129	147	166	186	205	228	247	267	288	332	374	415	458	500	541
42	139	159	180	204	224	249	272	295	317	366	413	459	507	554	600
48	146	169	192	217	239	269	293	319	345	397	448	500	554	606	657
54	159	184	210	236	263	292	319	351	378	435	491	548	608	664	720
60	170	196	227	255	281	316	345	377	407	469	531	593	654	717	779
66	183	211	243	273	303	338	370	404	438	504	572	637	707	772	839
72	192	223	257	291	323	360	397	433	468	539	613	683	756	826	899
78	202	236	271	307	345	382	422	460	499	574	651	727	804	882	957
84	210	247	286	323	362	401	442	483	522	602	685	764	849	929	1011
90	219	258	299	339	380	424	465	508	553	637	722	809	896	982	1067
96	228	269	311	354	397	442	487	532	578	668	758	847	940	1029	1119
108	247	291	338	385	434	484	533	583	633	731	831	928	1031	1129	1229
120	264	315	368	419	471	527	580	634	688	795	904	1012	1122	1230	1338
132	280	336	392	449	508	566	625	684	742	860	978	1093	1213	1327	1445
144	298	359	420	482	544	608	670	733	796	923	1049	1175	1304	1427	1554

Not e: 2-on-1 and 3-on-1 headrail option is strongly recommended for all blinds measuring 96" or more in width or height. Single blinds ordered larger than 96" in width or height will not be covered under warranty.

Light Filtering and Light Filtering Fire Retardant

GROUP 3 : 7/16" DOUBLE CELL LIGHT FILTERING FABRICS

WIDTH HEIGHT	24	30	36	42	48	54	60	66	72	84	96	108	120	132	144
36	149	168	191	214	253	259	285	309	331	379	429	475	523	569	614
42	162	184	209	238	259	291	316	345	371	424	480	532	588	639	693
48	168	195	223	253	278	309	339	369	400	457	518	575	635	694	752
54	183	210	240	272	302	336	368	401	433	496	562	626	693	753	817
60	198	228	263	294	328	365	399	437	471	544	613	684	755	813	895
66	212	246	281	318	355	396	434	473	511	589	666	742	820	897	973
72	225	257	297	337	377	419	459	501	544	624	709	791	872	954	1032
78	238	279	321	365	410	454	499	544	590	679	770	858	950	1038	1127
84	250	294	338	386	432	481	528	578	624	719	815	910	1008	1101	1196
90	261	309	357	406	456	508	559	611	663	763	866	966	1070	1171	1272
96	272	323	373	426	479	532	588	642	695	802	912	1019	1128	1233	1340
108	295	349	405	464	523	583	639	701	761	879	994	1113	1234	1349	1469
120	322	381	447	512	578	643	709	775	840	970	1103	1234	1366	1495	1626
132															
144															

Not e: 2-on-1 and 3-on-1 headrail option is strongly recommended for all blinds measuring 96" or more in width or height. Single blinds ordered larger than 96" in width or height will not be covered under warranty.

GROUP 4 : 9/16" SINGLE CELL LIGHT FILTERING FIRE RETARDANT FABRICS

WIDTH HEIGHT	24	30	36	42	48	54	60	66	72	84	96	108	120	132	144
36	160	181	204	227	249	275	299	324	351	401	455	505	558	607	657
42	173	195	222	249	274	306	331	359	389	447	505	562	622	677	768
48	185	213	243	274	302	337	368	402	434	500	567	632	700	764	830
54	202	231	264	299	331	368	403	440	475	548	622	693	768	838	911
60	221	247	284	322	356	397	433	476	515	594	674	751	832	911	989
66	233	264	302	343	382	426	466	510	552	637	725	811	897	980	1067
72	248	284	328	372	415	462	506	554	600	694	790	883	978	1070	1163
78	263	299	347	394	441	490	539	590	638	738	840	940	1043	1139	1241
84	273	314	365	417	464	519	568	625	675	783	889	995	1105	1212	1319
90	288	334	389	441	495	552	606	666	721	837	950	1066	1183	1298	1415
96	298	348	405	463	519	580	636	698	759	879	1002	1124	1247	1369	1492
108	323	378	442	507	571	637	699	770	835	968	1104	1238	1376	1511	1646
120	347	410	480	550	636	693	763	839	911	1057	1204	1355	1504	1653	1842
132	375	443	522	601	695	757	837	917	996	1157	1321	1483	1650	1864	2122
144	398	476	559	643	754	816	901	985	1073	1246	1422	1598	1810	2066	2359

Not e: 2-on-1 and 3-on-1 headrail option is strongly recommended for all blinds measuring 96" or more in width or height. Single blinds ordered larger than 96" in width or height will not be covered under warranty.

Black Out Smooth and Black Out

GROUP 5 : 3/4" SINGLE CELL BLACK OUT SMOOTH FABRICS

WIDTH HEIGHT	24	30	36	42	48	54	60	66	72	84	96	108	120	132	144
36	164	186	211	237	261	291	316	342	371	426	481	534	591	647	698
42	175	202	229	260	287	318	350	379	408	471	532	592	654	717	775
48	186	215	246	278	413	345	376	411	444	511	580	647	716	783	851
54	202	235	269	303	337	375	412	452	487	561	634	709	785	858	931
60	217	251	291	327	361	405	444	486	526	606	686	768	846	928	1008
66	233	270	310	351	390	436	477	522	565	651	740	823	915	1000	1087
72	246	286	331	374	416	464	511	559	604	696	793	883	978	1070	1163
78	258	302	348	394	444	492	544	594	645	742	842	941	1042	1141	1240
84	269	316	366	416	466	518	571	624	675	778	886	989	1099	1203	1309
90	280	331	384	437	489	547	601	657	715	824	936	1048	1160	1272	1383
96	292	345	400	456	511	571	630	688	747	863	982	1097	1218	1332	1451
108	316	374	436	497	560	625	689	753	819	946	1076	1203	1336	1463	1593
120	338	404	473	541	609	680	750	821	889	1029	1172	1311	1454	1594	1735
132	360	433	505	580	656	732	809	884	960	1113	1266	1418	1573	1721	1874
144	383	462	542	622	704	786	867	948	1031	1196	1360	1524	1691	1851	1975

Not e: 2-on-1 and 3-on-1 headrail option is strongly recommended for all blinds measuring 96" or more in width or height. Single blinds ordered larger than 96" in width or height will not be covered under warranty.

GROUP 6 : 9/16" SINGLE CELL BLACK OUT FABRICS

WIDTH HEIGHT	24	30	36	42	48	54	60	66	72	84	96	108	120	132	144
36	164	186	210	234	256	285	309	335	361	414	469	522	576	627	679
42	179	202	228	256	284	315	341	371	401	462	522	581	643	700	794
48	191	219	251	284	312	348	379	415	447	517	586	653	723	790	858
54	208	238	272	309	342	379	416	455	490	566	643	717	794	867	943
60	227	254	293	333	368	410	447	491	531	613	696	776	860	943	1023
66	239	271	313	355	395	440	481	527	571	659	749	839	928	1013	1104
72	256	292	338	384	428	477	523	573	620	717	817	912	1011	1107	1203
78	271	309	357	406	456	507	557	610	659	763	868	972	1078	1179	1284
84	281	323	377	431	479	536	587	646	697	811	920	1029	1142	1254	1364
90	297	344	401	456	511	571	626	688	746	865	983	1103	1224	1343	1464
96	308	359	419	479	537	599	658	722	784	908	1036	1161	1289	1416	1544
108	333	391	457	524	590	658	723	795	863	1002	1142	1281	1423	1562	1704
120	357	423	496	568	638	716	790	867	942	1093	1245	1401	1556	1709	1906
132	386	458	540	621	718	783	865	948	1031	1197	1366	1533	1706	1929	2196
144	412	491	576	665	779	844	931	1020	1109	1289	1471	1653	1873	2139	2442

Not e: 2-on-1 and 3-on-1 headrail option is strongly recommended for all blinds measuring 96" or more in width or height. Single blinds ordered larger than 96" in width or height will not be covered under warranty.

Premium Sheer and Black Out Fire Retardant

GROUP 7 : 9/16" SINGLE CELL LIGHT FILTERING PREMIUM SHEER FABRICS

WIDTH HEIGHT	24	30	36	42	48	54	60	66	72	84	96	108	120	132	144
36	197	225	255	289	317	354	385	416	450	521	587	652	722	790	853
42	212	244	278	316	348	387	425	462	498	575	650	723	799	876	947
48	224	260	298	338	374	420	458	500	542	624	707	790	875	958	1038
54	245	285	327	369	410	457	501	550	593	685	775	865	960	1049	1139
60	264	305	353	398	440	495	542	592	642	739	838	938	1035	1135	1234
66	281	328	377	426	475	531	581	636	689	795	904	1007	1118	1222	1328
72	298	347	401	456	507	567	624	681	737	851	969	1079	1196	1308	1424
78	313	368	423	480	542	601	664	725	786	907	1029	1150	1274	1397	1517
84	326	384	446	506	569	631	697	761	824	950	1084	1210	1345	1472	1603
90	340	403	468	532	596	667	733	802	874	1008	1143	1281	1420	1556	1693
96	355	420	487	555	624	697	769	840	911	1055	1201	1342	1490	1631	1777
108	385	456	531	605	683	762	841	920	1001	1157	1317	1472	1635	1791	1950
120	412	492	576	659	743	832	916	1003	1088	1259	1433	1604	1781	1952	2123
132	438	527	616	708	801	895	988	1082	1174	1362	1550	1735	1926	2107	2294
144	467	563	660	759	859	961	1061	1160	1261	1463	1664	1865	2071	2266	2469

Not e: 2-on-1 and 3-on-1 headrail option is strongly recommended for all blinds measuring 96" or more in width or height. Single blinds ordered larger than 96" in width or height will not be covered under warranty.

GROUP 8 : 9/16" SINGLE CELL BLACK OUT FIRE RETARDANT FABRICS

WIDTH HEIGHT	24	30	36	42	48	54	60	66	72	84	96	108	120	132	144
36	221	250	284	316	345	384	418	454	490	562	637	709	783	852	924
42	239	271	308	347	383	426	462	503	544	626	709	789	874	952	1080
48	257	296	338	383	422	470	513	563	607	700	796	887	985	1074	1168
54	280	321	368	418	463	515	564	617	666	769	874	974	1080	1180	1283
60	307	343	396	450	499	555	607	667	721	834	947	1055	1170	1284	1392
66	323	366	423	481	537	596	653	715	775	896	1019	1141	1263	1380	1503
72	345	395	458	521	581	647	710	779	842	975	1111	1242	1376	1507	1639
78	366	418	484	551	618	688	756	830	897	1038	1182	1323	1468	1605	1749
84	381	438	511	584	651	728	798	877	948	1103	1253	1401	1556	1707	1859
90	402	466	544	618	694	775	852	936	1014	1177	1339	1502	1667	1829	1995
96	417	487	568	649	728	814	895	983	1067	1237	1411	1581	1757	1930	2103
108	452	529	620	712	801	896	984	1082	1175	1363	1555	1744	1938	2129	2323
120	484	574	673	772	895	974	1073	1180	1282	1488	1697	1909	2120	2330	2597
132	524	622	733	844	978	1066	1176	1290	1404	1631	1861	2090	2326	2629	2994
144	558	667	783	904	1061	1148	1267	1388	1511	1756	2004	2252	2553	2916	3330

Not e: 2-on-1 and 3-on-1 headrail option is strongly recommended for all blinds measuring 96" or more in width or height. Single blinds ordered larger than 96" in width or height will not be covered under warranty.

Premium Crush, Slub Woven, and LUX Linen

GROUP 9 : 9/16" SINGLE CELL LIGHT FILTERING PREMIUM CRUSH / SLUB WOVEN FABRICS

WIDTH HEIGHT	24	30	36	42	48	54	60	66	72	84	96	108	120	132	144
36	227	257	293	331	364	406	442	478	519	599	675	751	831	908	982
42	243	279	319	363	399	445	489	530	572	662	748	832	919	1007	1090
48	257	299	342	389	428	482	526	574	623	718	814	908	1007	1103	1196
54	280	327	375	423	470	525	575	633	683	786	891	996	1105	1208	1311
60	301	350	405	457	505	569	623	681	737	852	964	1079	1191	1306	1420
66	323	376	434	490	546	610	669	732	793	915	1041	1159	1287	1406	1530
72	342	398	461	524	583	652	717	784	848	979	1115	1242	1377	1507	1640
78	360	422	486	551	623	691	764	834	905	1044	1184	1323	1467	1609	1747
84	374	441	513	582	654	726	801	876	948	1094	1247	1393	1549	1696	1846
90	392	463	538	611	687	768	843	923	1005	1160	1317	1475	1635	1791	1949
96	407	483	560	638	718	801	884	967	1049	1215	1382	1545	1715	1878	2045
108	442	524	610	696	785	878	968	1058	1152	1331	1515	1695	1883	2062	2245
120	473	566	663	758	856	957	1053	1154	1252	1449	1651	1847	2051	2247	2445
132	504	607	709	815	922	1029	1138	1244	1351	1568	1785	1997	2218	2427	2642
144	537	648	760	874	989	1106	1220	1336	1451	1684	1916	2147	2384	2609	2817

Not e: 2-on-1 and 3-on-1 headrail option is strongly recommended for all blinds measuring 96" or more in width or height. Single blinds ordered larger than 96" in width or height will not be covered under warranty.

GROUP 10 : 3/4" SINGLE CELL LIGHT FILTERING LUX Linen

WIDTH HEIGHT	24	30	36	42	48	54	60	66	72	84	96	108	120	132	144
36	233	267	306	347	383	429	468	507	551	638	721	804	891	975	1055
42	251	291	334	382	421	471	519	564	609	706	801	892	987	1083	1173
48	266	313	359	410	453	511	559	612	664	768	872	975	1083	1186	1288
54	292	342	395	447	499	558	613	676	730	843	957	1071	1189	1301	1414
60	315	367	428	484	537	606	664	729	789	913	1036	1161	1283	1409	1532
66	339	396	458	520	581	651	714	783	849	982	1119	1249	1388	1517	1652
72	359	420	489	557	621	696	767	840	910	1052	1201	1339	1485	1626	1772
78	378	446	516	587	664	739	818	894	972	1123	1276	1427	1583	1737	1888
84	394	467	545	620	699	777	859	940	1019	1178	1344	1503	1673	1832	1996
90	413	491	572	652	734	822	904	991	1081	1249	1420	1592	1766	1937	2108
96	430	513	596	682	768	859	949	1039	1129	1309	1491	1668	1853	2031	2213
108	468	557	651	745	842	942	1041	1139	1240	1436	1636	1831	2036	2231	2430
120	501	603	708	812	918	1028	1133	1243	1349	1564	1783	1997	2218	2433	2648
132	535	647	758	873	990	1107	1225	1341	1458	1693	1929	2160	2400	2628	2862
144	571	692	814	938	1063	1190	1315	1440	1566	1820	2073	2324	2581	2827	3081

Not e: 2-on-1 and 3-on-1 headrail option is strongly recommended for all blinds measuring 96" or more in width or height. Single blinds ordered larger than 96" in width or height will not be covered under warranty.

CLUTCH HONEYCOMB SHADE SURCHARGE (ADD TO REGULAR CORDED SHADE PRICING)

WIDTH	24	30	36	42	48	54	60	66	72	84	96	108	120
CLUTCH	57	61	64	67	71	75	76	79	81	86	91	95	102

REGULAR CORDLESS HONEYCOMB SHADE SURCHARGE (ADD TO REGULAR CORDED SHADE PRICING)

WIDTH	24	30	36	42	48	54	60	66	72	84	96
CORDLESS	109	114	121	130	140	145	152	157	162	176	190

CORDLESS PLUS HONEYCOMB SHADE SURCHARGE (ADD TO REGULAR CORDED SHADE PRICING)

WIDTH	24	30	36	42	48	54	60	66	72
CORDLESS	117	121	129	140	150	157	163	168	174

TOP DOWN BOTTOM UP CORDLESS HONEYCOMB SHADE SURCHARGE (ADD TO REGULAR CORDED SHADE PRICING)

WIDTH	24	30	36	42	48	54	60	66	72	84	96
CORDLESS	167	173	184	200	214	227	238	246	260	273	342

SIZE STANDARDS

	<u>Corded</u>	<u>Cordless</u>	<u>Corded</u> <u>TDBU</u>	<u>Cordless</u> <u>TDBU</u>	<u>Clutch</u>	<u>Cordless</u> <u>Plus</u>	<u>Skylight</u>	<u>Simple</u> <u>Touch</u>
Minimum Width	7"	18"	12"	19"	12"	21"	16"	28"
Minimum Height	10"	10"	10"	10"	10"	10"	10"	10"
Maximum Width	144"	96"	72"	96"	120"	72"	60"	96" ~ 118"
Maximum Height	144"	84"	72"	84"	120"	72"	60"	118"

*Maximum Height for Double Cell fabrics is 120"

Features/Options and Motorization

STANDARD FEATURES

1/4" deduction for inside mount
Right cord control
Aluminum headrail and bottom rail
Cord cleat is included for corded shades

DAY/NIGHT SHADE FEATURES

Made with our standard aluminium headrail and bottom rail
Top rail will match top fabric; middle and bottom rail will match bottom fabric (please refer to surcharge options below)
Light filtering fabric on top, blackout fabric on the bottom.
Standard controls: right cord operates the bottom rail; left operates the middle rail. Reverse controls are also available.
Cordless is available. Max size is 72x72 corded and cordless.

SKYLIGHT SHADE FEATURES

Skylight can only be mounted inside
Finished size must be provided
Color coordinated headrails, middle rails, bottom rails and fabrics
Headrail including end cap is 5/8" less than finished size

Skylight poles are available in 2 options (ordered separately):

- 3ft-5ft: \$22.00 each (Net)
- 5ft-9ft: \$32.00 each (Net)

SIDE RAILS ARE AVAILABLE IN THE COLOR WHITE (001) ONLY

- No deductions will be taken by manufacturer.

***NOTE:** Skylight can only be used with 9/16" single cell and 7/16" double cell.

SURCHARGE OPTIONS (NET CHARGES)

Top Down Corded (72" maximum width and drop)
Top/Down Bottom/Up Corded (72" maximum width and drop) Skylight
Day/Night Shade
Tile Cut Out (No Warranty for Cut Out)
2-on-1 & 3-on-1 Head Rail
3-on-1 head rail is not available for clutch.
Top/Down Bottom/Up is not available with clutch control

\$22.00 per Shade
\$22.00 per Shade (Fabric Insert Included)
\$37.00 plus cost of corded shade
Charged as a combination of 2 shade prices
\$17.00 per side
Shades are priced Individually

Motorization

MOTORIZED HONEYCOMB SHADES use a heavy duty clutch shade headrail and are motorized with the Radio Technology Somfy (RTS) system. It is operated by a battery powered motor. The motor can support a shade up to 13lbs. Battery life expectancy is 1 to 3 years (depending on frequency of operation and material weight). Remote control is radio frequency control. It can be controlled as individual unit, as subgroup or an entire group, depending on your choice of remote control.

NET SURCHARGES

(Net surcharge is added onto clutch shade price)

Motorization	\$215
Radio frequency Transmitter 1 channel	\$54
Radio frequency Transmitter 5 channel	\$70

REPLACEMENT HARDWARE

(Net surcharge for additional hardware)

Reloadable battery tube	\$27	48" battery extension cable	\$9
8 AA batteries	\$27	96" battery extension cable	\$11
Wall mount clip	\$7 / set		

DIMENSION LIMITATION

Minimum width	24"
Minimum height	12"
Maximum Weight	13 lbs.
Maximum width	94"
Maximum height	96"

STANDARD FEATURES

M1-1/2" color coordinated headrail
Hand held remote control only (no hard wire) Radio frequency control
Wall mount clips are included.
Reloadable battery tube and 8 AA Lithium batteries are included

HAND HELD REMOTE CONTROL

- 1 Channel RTS Remote will operate all of the shades simultaneously.
- 5 Channel RTS Remote will operate up to five individual shades or five groups of shades.



COLOR MATCHING

To ensure color matching, all Honeycomb shade blinds must be ordered at the same time. This will eliminate possible variations due to the nature of fabric. The availability is subject to change without notice.



November, 2018

Simple Touch® Wand System

SIMPLE TOUCH® wand cordless shade is operated by AA batteries. The motor can support a shade up to 9 lbs. This unique cordless, battery powered shade has a control on a wand handle. Consumers do not need to worry about the whereabouts of the remote control. Simple Touch® cellular shades use our heavy duty headrail and finest cellular shade fabrics. We offer a variety of options for the consumers' convenience. The shade has the standard setup of upper limit, lower limit and your favorite position.

NET SURCHARGE FOR SIMPLE TOUCH® WAND SYSTEM (NET SURCHARGE IS ADDED TO CORDED PRICE): \$53

OPTIONAL HARDWARE (NET SURCHARGE FOR OPTIONAL HARDWARE):	
Power adaptor (with 70" cord)	\$13.41
8 Alkaline AA batteries	\$7
8 Lithium AA batteries	\$27
Power extension cord (118")	\$7

SIZE LIMITATION:	
Minimum width: 28"	Minimum height: 12"
Maximum width for SINGLE CELL LIGHT FILTERING: 118"	Maximum height: 118"
Maximum width for SINGLE CELL BLACKOUT: 118"	Maximum height: 118"
Maximum width for DOUBLE CELL LIGHT FILTERING: 96"	Maximum height: 118"
Maximum weight: 9lbs	

No Remote Control Needed

WAND:

Standard: half of the drop of the shade

Wand is clear with white cord in the middle

Minimum wand length: 12"

Maximum wand length: 60"

***NOTE:** Standard wand control is on the right side, unless specified.

POWER OPTIONS:

Complementary 8 AA Alkaline batteries are included. Lithium batteries are recommended for durability.

Power adaptor - 70" cord including cord length inside the headrail.

Replacing the batteries does not affect current shade set up.

***NOTE:** Battery life expectancy is estimated around 1 year for Alkaline battery (depending on frequency of operation and material weight).

BATTERY REPLACEMENT:

When Alkaline batteries are running low, shade will start to operate at a slower rate; indicating a replacement of new batteries are needed.

BATTERY BOX LOCATION:

Standard: inside the headrail without battery box cover

Outside the headrail: Battery box can be installed outside the headrail.

Battery box cover is needed when battery box is moved outside the headrail. Cover is included in the hardware bag

***NOTE:** Battery box cover is only used when battery box is moved to outside the headrail. Cord can go through between the headrail and window frame.

COLOR COORDINATION:

Simple Touch® wand cellular shade follows our standard color coordination chart Color coordinated headrail, bottomrail, end caps and handle

UPPER LIMIT, LOWER LIMIT AND FAVORITE POSITION:

Simple Touch® Wand cellular shade is preset with upper position at 0", lower position at ordered drop, favorite position at approximate middle point.

To reset the 3 positions, follow the instruction sheet on how to set up upper limit, lower limit and favorite location.

INSTALLATION:

Simple Touch® cellular shade is installed with heavy duty brackets. Installation instruction and programming guide is included in the hardware bag.

WARRANTY:

Standard Texton warranty on cellular shade - 3 years for Simple Touch® Wand

November, 2018



Simple Touch® Remote System

SIMPLE TOUCH® Remote control motorized shade is operated by 8 AA Lithium batteries. It has option of one channel remote and/ or five channel remote. The motor can support a shade up to 15 lbs. This motorized shade comes with 8 AA lithium batteries. It is an economical option to meet your budget. This system also comes with option of top down bottom up. Simple Touch® remote cellular shades uses our heavy duty headrail and finest cellular shade fabrics. We offer a variety of options for the consumers' convenience. The shade has the standard setup of upper limit, lower limit and your favorite position.

NET SURCHARGE FOR SIMPLE TOUCH® REMOTE SYSTEM (NET SURCHARGE IS ADDED TO CORDED PRICE): \$95

OPTIONAL HARDWARE (NET SURCHARGE FOR OPTIONAL HARDWARE):	
Power adaptor (with 70" cord)	\$13.41
8 Lithium AA batteries	\$27
Power extension cord (118")	\$7

REMOTE CONTROL NET CHARGE:	
Single channel remote	\$27
5 channel remote	\$31

SIZE LIMITATION:	
Minimum width for drop below 78"	33"
Minimum width for drop over 78"	36"
Maximum width	118"
Minimum drop	12"
Maximum drop for single cell	96 sq ft
Maximum drop for double cell	75 sq ft
Maximum weight: 15lbs	

FABRIC OPTIONS:	
Simple Touch® system is available for all cellular shade fabrics:	
Single cell light filtering	
Double cell light filtering	
Single cell blackout	
Specialty fabrics: sheer, crush, slub woven and fire retardant	

POWER OPTIONS:

Standard: 8 AA Lithium batteries are included.

Power adaptor (optional, order separately) - 70" cord including cord length inside the headrail.

Replacing the batteries does not affect current shade set up.

BATTERY BOX LOCATION:

Standard: inside the headrail without battery box cover

Outside the headrail: Battery box can be installed outside the headrail.

Battery box cover is needed when battery box is moved outside the headrail. Cover is included in the hardware bag

***NOTE:** Battery box cover is only used when battery box is moved to outside the headrail. Cord can go through between the headrail and window frame.

TOP DOWN BOTTOM UP OPERATION:

Simple Touch® Remote system is available for top down bottom up option. For bottom rail to go up and down, middle rail must move to the bottom first. For middle rail to go up and down, bottom rail must stay at the bottom.

COLOR COORDINATION:

Simple Touch® cellular shade follows our standard color coordination chart Color coordinated fabric, headrail, bottomrail, and end caps.

UPPER LIMIT, LOWER LIMIT AND FAVORITE POSITION:

Simple Touch® Remote cellular shade is preset with upper position at very top, lower position at ordered drop, favorite position at middle point.

To reset the 3 positions, follow the instruction sheet on how to set up upper limit, lower limit and favorite location.

INSTALLATION:

Simple Touch® cellular shade is installed with heavy duty brackets. Installation instruction and programming guide is included in the hardware bag.

WARRANTY:


Standard Texton warranty on cellular shade - 3 years for Simple Touch® Remote

Honeycomb Shade Specialties


Perfect Arches (Do not require a template): Perfect Arches are those where the radius of the circle is consistent at all points.

Non-perfect Arches (Require Templates): Non-perfect Arches are not consistent at all points. Deviation of even 1/16" makes it imperfect.


ARCHES		
	MINIMUM	MAXIMUM
Width	18"	84"
Height	9"	48"
Non-movable arches; Non-perfect arches require templates		




HALF ARCHES		
	MINIMUM	MAXIMUM
Width	9"	50"
Non-movable quarter arches; Non-perfect quarter arches require templates		




CIRCLES		
	MINIMUM	MAXIMUM
Width	9/16" = 9"	9/16" = 42"
	7/16" = 12"	7/16" = 42"
Non-movable quarter arches; Non-perfect quarter arches require templates		



OCTAGONS		
	MINIMUM	MAXIMUM
Width	12"	48"
Height	12"	48"
Measurement of all 8 sides are needed; Templates are required		



FANNED ANGLE		
	MINIMUM	MAXIMUM
Width	12"	60"
Height	12"	72"
Longer side drop can not exceed 130% of shorter side drop. Measurement of all 4		



Honeycomb Shade Specialties

NON-MOVABLE ARCHES, NON-MOVABLE QUARTER ARCHES, NON-MOVABLE CIRCLES

WIDTH	24	30	36	42	48	54	60	72	84
9/16" SINGLE CELL LIGHT FILTERING	204	236	255	302	330	386	420	526	637
7/16" DOUBLE CELL LIGHT FILTERING	231	268	291	343	373	438	475	582	692
9/16" SINGLE CELL ROOM DARKENING	247	287	311	368	399	468	508	615	726
9/16" SINGLE CELL SHEER	296	343	373	440	479	562	610	737	870
9/16" SINGLE CELL CRUSH	332	385	419	494	536	629	684	826	975

TRAPEZOID AND OCTAGON SHADES 9/16" SINGLE CELL
LIGHT FILTERING

HEIGHT	WIDTH	24	30	36	42	48	54	60
	36	227	255	289	320	355	386	419
	42	243	274	312	351	386	423	461
	48	259	295	336	378	419	461	499
	54	274	315	360	405	483	495	539
	60	290	333	385	433	483	531	580
	66	306	355	408	461	515	568	620
	72	320	373	433	488	546	602	658

TRAPEZOID AND OCTAGON SHADES 9/16" SINGLE CELL FIRE
RETARDANT LIGHT FILTERING

HEIGHT	WIDTH	24	30	36	42	48	54	60
	36	317	356	404	448	497	540	586
	42	339	382	437	490	540	592	646
	48	362	413	470	529	586	645	698
	54	384	440	504	567	631	692	754
	60	405	465	539	606	675	742	812
	66	427	497	571	646	720	795	866
	72	448	522	605	683	764	842	922

TRAPEZOID AND OCTAGON SHADES 9/16" SINGLE CELL
BLACK OUT

HEIGHT	WIDTH	24	30	36	42	48	54	60
	36	294	331	376	417	461	502	544
	42	315	355	405	456	502	550	600
	48	336	383	437	491	544	599	648
	54	356	408	468	527	586	643	699
	60	377	433	500	563	627	690	753
	66	397	461	530	600	669	738	804
	72	417	485	562	634	710	782	856

TRAPEZOID AND OCTAGON SHADES 9/16" SINGLE CELL FIRE
RETARDANT BLACK OUT

HEIGHT	WIDTH	24	30	36	42	48	54	60
	36	412	463	525	583	646	701	761
	42	441	497	567	637	701	771	839
	48	470	537	611	688	761	837	907
	54	499	572	655	737	820	900	980
	60	527	605	700	788	878	965	1054
	66	554	646	742	839	936	1032	1126
	72	583	678	785	887	993	1095	1198

TRAPEZOID AND OCTAGON SHADES 7/16" DOUBLE CELL LIGHT

HEIGHT	WIDTH	24	30	36	42	48	54	60
	36	272	306	347	384	426	463	502
	42	291	328	375	421	463	508	553
	48	311	354	403	454	502	552	599
	54	329	377	432	486	541	593	646
	60	348	399	462	520	580	636	695
	66	366	426	489	553	617	681	742
	72	384	447	519	585	655	722	790

TRAPEZOID AND OCTAGON SHADE 9/16" SINGLE CELL CRUSH

HEIGHT	WIDTH	24	30	36	42	48	54	60
	36	395	445	504	560	620	674	732
	42	423	478	545	612	674	740	806
	48	452	516	587	660	732	804	872
	54	480	549	629	709	789	864	941
	60	506	582	672	756	844	928	1012
	66	533	620	713	806	899	992	1083
	72	560	652	755	853	954	1052	1151

TRAPEZOID AND OCTAGON SHADES 9/16" SINGLE CELL SHEER

HEIGHT	Width	24	30	36	42	48	54	60
	36	353	397	449	499	552	601	652
	42	378	425	486	546	601	659	718
	48	403	459	524	588	652	717	776
	54	427	490	561	631	702	771	838
	60	450	518	600	674	752	826	902
	66	476	552	635	718	801	884	964
	72	499	581	672	759	851	938	1026

SHIPPING AND HANDLING WILL BE CHARGED ACCORDINGLY FOR
ANY TEMPLATES THAT MAY BE REQUIRED FOR THE SHADE.



November, 2018

WARRANTY

WHAT IS COVERED BY THE WARRANTY:

- Our Limited Lifetime Warranty is offered to the original owner.
- Warranty applies only to products properly installed in the window for which they were intended, following our installation instruction and recommendation.
- Warranty covers products made and assembled solely with original material.
- Warranty will repair or replace the product solely at Texton's option due to defective material or poor workmanship.
- Warranty gives you specific legal rights and you may also have other rights, which vary from state to state.

WHAT IS NOT COVERED BY WARRANTY:

- Warranty does not apply to any products damaged by accident, misuse, abuse, direct exposure to salty air or improper moisture, or discoloration due to sunlight, undue exposure, or irregular temperature.
- Warranty does not apply to conditions caused by normal wear and tear upon the product.
- It does not apply to any product damaged by fire, flood, wind, rain, lightening or other acts of God. In no event shall Texton be liable for incidental or consequential damage, loss, cost, expense or fee. Warranty does not apply to liquidated or discontinued items.
- Warranty does not include shipping charges.

SOMFY WARRANTY

Somfy offers end product suppliers a 5 year warranty on all motors and controls. Specifically, Somfy warrants its motors and controls to be free from defects in material and workmanship under normal and proper use for a period of 5 years commencing with the date stamped on each product. If the Somfy product fails within this 5 year period, Somfy will repair or replace it free of charge through your end product supplier.