

- Linen Allure™ fabric is our most luxurious fabric yet.
- Reminiscent of fine linen, offering a tactile feel and look found in designer fabric collections.
- Available in two cell configurations, 2" Hybrid Pleat and Dimensions™.
- Two distinct textures and twelve rich neutral colors
- Dimensions honeycomb shade marries a unique cascading profile with high performance.
- The unique cell structure creates bands of filtered and unfiltered light for a dramatic effect.



FABRIC AND RAIL COLOR CHART

FABRIC			HARDWARE	
Code	Color #	Color Name	OPTION	VA
CHAUMONT - 2" HYBRID PLEAT - Semi-Opaque				
HP85	6080	Sunshine	674	862
HP85	6081	Coastal Bluff	882	882
HP85	6082	Fall Meadow	882	882
HP85	6083	Icy Pond	018	276
HP85	6084	Country Road	405	276
HP85	6085	Stepping Stone	405	276

FABRIC			HARDWARE	
Code	Color #	Color Name	OPTION	VA
CHAUMONT - DIMENSIONS - Semi-Opaque				
DM85	7080	Sunshine	674	N/A
DM85	7081	Coastal Bluff	882	
DM85	7082	Fall Meadow	882	
DM85	7083	Icy Pond	018	
DM85	7084	Country Road	405	
DM85	7085	Stepping Stone	405	

TRIMBELLE - 2" - HYBRID PLEAT - Semi-Opaque				
Code	Color #	Color Name	OPTION	VA
HP84	6070	White Bouquet	785	785
HP84	6071	Seawall	810	810
HP84	6072	Hidden Lake	450	276
HP84	6073	Desert Grasslands	882	882
HP84	6074	Ocean Trails	630	841
HP84	6075	Boardwalk	621	841

TRIMBELLE - DIMENSIONS - Semi-Opaque				
Code	Color #	Color Name	OPTION	VA
DM84	7070	White Bouquet	785	N/A
DM84	7071	Seawall	810	
DM84	7072	Hidden Lake	450	
DM84	7073	Desert Grasslands	882	
DM84	7074	Ocean Trails	630	
DM84	7075	Boardwalk	621	

LINEN ALLURE – DIMENSIONS

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
HEIGHT TO:													
36"	\$310	347	390	436	482	526	568	616	659	752	857	950	1051
42"	333	376	427	480	531	582	628	680	733	839	950	1058	1166
48"	363	414	475	533	586	644	699	763	823	945	1071	1196	1325
54"	384	439	505	572	636	697	761	830	892	1028	1164	1306	1444
60"	421	467	542	616	682	751	818	894	968	1115	1263	1412	1562
66"	439	496	574	650	731	804	878	957	1037	1196	1361	1524	1688
72"	467	535	620	701	786	871	950	1041	1122	1301	1481	1654	1837
78"	492	559	650	742	834	924	1009	1104	1196	1382	1575	1762	
84"	512	590	687	786	880	972	1064	1166	1263	1467	1665		
90"	542	627	733	832	936	1039	1140	1249	1352	1570	1784		
96"	559	650	763	873	984	1090	1196	1313	1423	1647			
108"	605	706	834	956	1080	1200	1317	1444	1566				
120"	648	770	903	1037	1203	1304	1437	1578	1709				

LINEN ALLURE – HYBRID PLEAT

WIDTH TO:	18"	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"
HEIGHT TO:																	
30"	\$384	398	436	455	475	529	563	604	634	763	804	853	894	929	973	1163	1357
36"	398	406	453	475	499	554	595	639	680	812	858	911	952	996	1042	1242	1447
42"	406	443	473	490	524	579	623	673	713	862	911	968	1009	1058	1108	1325	1545
48"	420	455	485	515	545	609	694	710	754	906	966	1023	1072	1122	1172	1410	1635
54"	429	475	503	533	565	632	710	738	793	957	1012	1078	1131	1191	1242	1481	1722
61"	436	489	528	563	593	664	754	784	827	1009	1067	1147	1207	1271	1322	1570	1824
66"	475	524	568	604	632	692	759	807	867	1058	1113	1193	1251	1322	1382	1646	1911
73"	478	540	582	620	650	719	777	851	911	1108	1172	1258	1327	1401	1455	1730	
78"	554	625	673	722	774	842	913	998	1072	1147	1217	1301	1371	1451	1520	1807	
84"	568	643	694	742	793	869	952	1042	1113	1193	1272	1357	1432	1515	1591		
90"	582	664	713	774	818	903	982	1076	1161	1240	1325	1417	1495	1580	1656		
96"	595	683	735	793	848	929	1018	1117	1202	1290	1375	1470	1552	1640			
108"	648	752	814	883	952	1053	1161	1272	1375	1476	1582	1695					
120"	697	814	899	977	1057	1172	1295	1426	1547	1667	1789						

VERTICAL APPLICATION – LINEN ALLURE – HYBRID PLEAT

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
HEIGHT TO:													
36"	\$908	1083	1087	1149	1191	1271	1317	1539	1600	1711	1794	2090	2355
42"	1026	1103	1127	1182	1240	1302	1363	1591	1654	1780	1860	2143	2424
48"	1076	1138	1157	1251	1363	1380	1426	1697	1739	1874	1971	2259	2592
54"	1117	1207	1216	1302	1416	1423	1478	1752	1810	1936	2029	2344	2649
60"	1122	1242	1246	1363	1470	1476	1531	1805	1865	2015	2123	2449	2767
66"	1207	1317	1322	1396	1470	1506	1561	1865	1914	2058	2190	2523	2852
72"	1235	1375	1375	1456	1497	1580	1637	1966	2005	2190	2320	2649	3001
78"	1426	1561	1585	1654	1715	1796	1865	1959	2014	2180	2332	2677	3020
84"	1467	1601	1631	1706	1780	1865	1934	2029	2098	2268	2435	2794	3137
90"	1520	1661	1667	1741	1814	1916	2003	2098	2173	2344	2526	2896	3255
96"	1550	1706	1715	1789	1860	1978	2054	2150	2238	2419	2594	2976	3360
108"	1715	1911	1916	2010	2109	2229	2364	2473	2581	2806	3032	3466	3897
120"	1840	2070	2148	2259	2373	2518	2654	2802	2928	3176	3441	3927	4396

See main Honeycomb section for option surcharges.

LINEN ALLURE DIMENSIONS – SIZE SPECIFICATIONS BY CONFIGURATION

Cordless Lift

Cordless Lift System

Min Width (net)	16"
Max Width	120"
Max Width - End Mount	42"
Min Height	12"
Max Height	84"
Max Area (Sq/Ft)	48

Cordless Lift System - Top-Down/ Bottom-Up

Min Width (net)	16"
Max Width	120"
Max Width - End Mount	42"
Min Height	12"
Max Height	84"
Max Area (Sq/Ft)	48

Cordless Lift - Two-On-One Headrail

Min Width (per panel) (net)	16"
Min Width (overall)	32"
Max Width (per panel)	104"
Max Width (overall)	144"
Min Height	12"
Max Height	84"
Max Area (Sq/Ft)	48

Cordless Lift - Three-On-One Headrail

Min Width (per panel) (net)	16"
Min Width (overall)	48"
Max Width (per panel)	104"
Max Width (overall)	144"
Min Height	12"
Max Height	84"
Max Area (Sq/Ft)	48

Cordless Lift & Lock

Cordless Lift & Lock

Min Width (net)	9-1/2"
Max Width	84"
Max Width - End Mount	48"
Min Height	12"
Max Height	84"
Max Area (Sq/Ft)	39

Cordless Lift & Lock - Two-on-One Headrail

Min Width (per panel) (net)	9-1/2"
Min Width (overall)	20"
Max Width (per panel)	84"
Max Width (overall)	144"
Min Height	12"
Max Height	84"
Max Area (Sq/Ft) (per panel)	39

Cordless Lift & Lock - Three-on-One Headrail

Min Width (per panel) (net)	9-1/2"
Min Width (overall)	30"
Max Width (per panel)	84"
Max Width (overall)	144"
Min Height	12"
Max Height	84"
Max Area (Sq/Ft) (per panel)	39

Cordless Lift & Lock - Top-Down/ Bottom-Up

Min Width (net)	N/A
Max Width	
Max Width - End Mount	
Min Height	
Max Height	
Max Area (Sq/Ft)	

Continuous Cord Loop

Continuous Cord Loop

Min Width (net)	18"
Max Width	120"
Max Width - End Mount	42"
Min Height	12"
Max Height	120"
Max Area (Sq/Ft)	60

Continuous Cord Loop - Top-Down/Bottom-Up

Min Width (net)	N/A
Max Width	
Max Width - End Mount	
Min Height	
Max Height	
Max Area (Sq/Ft)	

Continuous Cord Loop - Two-On-One Headrail

Min Width (per panel) (net)	18"
Min Width (overall)	36"
Max Width (per panel)	102"
Max Width (overall)	144"
Min Height	12"
Max Height	120"
Max Area (Sq/Ft)	60

TriLight Shades

TriLight Shades - Continuous Cord Loop

Min Width (net)	N/A
Max Width	
Max Width - End Mount	
Min Height	
Max Height	
Max Area (Sq/Ft)	

TriLight Shades - Cordless

Min Width (net)	16"
Max Width	84" - 96"
Max Width - End Mount	42"
Min Height	12"
Max Height	84"
Max Area (Sq/Ft)	48

* The fabric (bottom panel) max width can be reduced by the ordered PLE fabric (top panel), if PLE max width < HC max width.

TriLight Shades - Cordless Lift & Lock

Min Width (net)	9.5"
Max Width	84"
Max Width - End Mount	42"
Min Height	12"
Max Height	84"
Max Area (Sq/Ft)	39

Vertical Application

Vertical Application

		Side Stack / Split Stack
Min Width	N/A	
Max Width		
Min Height		
Max Height		
Max Area (Sq/Ft)		

Motorization Options

RemoteLift 2.0

Min Width (net)	18"
Max Width	144"
Max Width - End Mount	36"
Min Height	12"
Max Height	108"
Max Area (Sq/Ft)	25

Width to:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"
25 Square Feet													
	108"	108"	108"	84"	74"	66"	60"	54"	50"	46"	42"	40"	36"

Simplicity Motorization - Bottom-Up

Min Width (net)	18" / 20"
Max Width	96"
Min Height	8"
Max Height	96"
Max Area (Sq/Ft)	30

NOTE: Battery Wand - Min Width 18"
Rechargeable - Min Width 20"

Simplicity Rechargeable Motorization - Two-on-One Headrail

Min Width (per panel)	20"
Min Width (overall)	40"
Max Width (per panel)	96"
Max Width (overall)	144"
Min Height	12"
Max Height	96"
Max Area (Sq/Ft) per panel	30

Width to:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"
30 Square Feet													
	96"	96"	96"	96"	90"	80"	72"	64"	60"	54"	50"	48"	44"

ORDERING NOTES:

Due to the shape of Dimensions fabric, it extends behind the headrail when stacked. Please add an additional 1/2" to the minimum mounting depths noted and add extension brackets to your order

Linen Allure fabrics are not available in Arches, Angles, or Specialty Shapes.

LINEN ALLURE HYBRID PLEAT – SIZE SPECIFICATIONS BY CONFIGURATION

Cordless Lift

Cordless Lift System	Min Width (net)	16"
	Max Width	120"
	Max Width - End Mount	42"
	Min Height	12"
	Max Height	84"
	Max Area (Sq/Ft)	60

Cordless Lift System - Top-Down/ Bottom-Up	Min Width (net)	16"
	Max Width	120"
	Max Width - End Mount	42"
	Min Height	12"
	Max Height	84"
	Max Area (Sq/Ft)	60

Cordless Lift - Two-On-One Headrail	Min Width (per panel) (net)	16"
	Min Width (overall)	32"
	Max Width (per panel)	104"
	Max Width (overall)	120"
	Min Height	12"
	Max Height	84"
	Max Area (Sq/Ft)	60

Cordless Lift - Three-On-One Headrail	Min Width (per panel) (net)	16"
	Min Width (overall)	48"
	Max Width (per panel)	104"
	Max Width (overall)	144"
	Min Height	12"
	Max Height	84"
	Max Area (Sq/Ft)	60

Cordless Lift & Lock

Cordless Lift & Lock	Min Width (net)	12"
	Max Width	84"
	Max Width - End Mount	48"
	Min Height	12"
	Max Height	84"
	Max Area (Sq/Ft)	49

Cordless Lift & Lock - Top-Down/ Bottom-Up	Min Width (net)	16"
	Max Width	84"
	Max Width - End Mount	42"
	Min Height	12"
	Max Height	84"
	Max Area (Sq/Ft)	49"

Cordless Lift & Lock - Two-on-One Headrail	Min Width (per panel) (net)	9-1/2"
	Min Width (overall)	20"
	Max Width (per panel)	84"
	Max Width (overall)	144"
	Min Height	12"
	Max Height	84"
	Max Area (Sq/Ft) (per panel)	49

Cordless Lift & Lock - Three-on-One Headrail	Min Width (per panel) (net)	9-1/2"
	Min Width (overall)	30"
	Max Width (per panel)	84"
	Max Width (overall)	144"
	Min Height	12"
	Max Height	84"
	Max Area (Sq/Ft) (per panel)	49

Continuous Cord Loop

Continuous Cord Loop	Min Width (net)	18"
	Max Width	120"
	Max Width – End Mount	42"
	Min Height	12"
	Max Height	120"
	Max Area (Sq/Ft)	60

Continuous Cord Loop - Top-Down/Bottom-Up	Min Width (net)	24"
	Max Width	120"
	Max Width – End Mount	42"
	Min Height	12"
	Max Height	120"
	Max Area (Sq/Ft)	60

Continuous Cord Loop - Two-On-One Headrail	Min Width (per panel) (net)	18"
	Min Width (overall)	36"
	Max Width (per panel)	102"
	Max Width (overall)	120"
	Min Height	12"
	Max Height	120"
	Max Area (Sq/Ft)	60

TriLight Shades

TriLight Shades - Continuous Cord Loop	Min Width (net)	24"
	Max Width	84" - 96"
	Max Width - End Mount	42"
	Min Height	12"
	Max Height	96"
	Max Area (Sq/Ft)	60

* The fabric (bottom panel) max width can be reduced by the ordered PLE fabric (top panel), if PLE max width < HC max width.

TriLight Shades - Cordless	Min Width (net)	16"
	Max Width	84" - 96"
	Max Width - End Mount	42"
	Min Height	12"
	Max Height	84"
	Max Area (Sq/Ft)	60

* The fabric (bottom panel) max width can be reduced by the ordered PLE fabric (top panel), if PLE max width < HC max width.

TriLight Shades - Cordless Lift & Lock	Min Width (net)	12"
	Max Width	84"
	Max Width - End Mount	42"
	Min Height	12"
	Max Height	84"
	Max Area (Sq/Ft)	49

Vertical Application

Vertical Application	Side Stack	
	Min Width	12"
	Max Width	120"
	Min Height	24"
	Max Height	120"
Max Area (Sq/Ft)	100	

Split Stack	Min Width	12"
	Max Width	190"
	Min Height	24"
	Max Height	120"
	Max Area (Sq/Ft)	120

Motorization Options

RemoteLift 2.0	Min Width (net)	18"
	Max Width	120"
	Max Width - End Mount	36"
	Min Height	12"
	Max Height	108"
	Max Area (Sq/Ft)	50

Width to:	18" - 54"	60"	66"	72"	78"	84"	90"	96"	108"	120"
	50 Square Feet									
	108"	108"	108"	100"	90"	84"	80"	74"	66"	60"

Simplicity Motorization - Bottom-Up	Min Width (net)	18" / 20"
	Max Width	96"
	Min Height	12"
	Max Height	96"
	Max Area (Sq/Ft)	n/a

NOTE: Battery Wand - Min Width 18" Rechargeable - Min Width 20"

Simplicity Rechargeable Motorization - Two-on-One Headrail	Min Width (per panel)	20"
	Min Width (overall)	40"
	Max Width (per panel)	96"
	Max Width (overall)	144"
	Min Height	12"
	Max Height	96"
Max Area (Sq/Ft) per panel	n/a	

ORDERING NOTES:

Linen Allure fabrics are not available in Arches, Angles, or Specialty Shapes.